












DESCRIPTION


- 1 Integral Polyurethane (PU) seat and back moulded over steel plate 2 mm thickness.
- 2 Black ABS ending trim
- 3 Optional moulded aluminium arms in silver or polished finish.
- 4 Extruded aluminium central beam. Reinforced with internal frame
- (5) Moulded aluminium trim fixed by pressure and screwed. Available in silver and polished finishes.
- 6 Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes.
- 7 Black polypropylene (PP) cap
- 8 Polypropilene (PP) levellers. Support for floor fixing or lining up in back to back benches.
- Seat for disable people (optional)

SIZES











 $(Passport\,Avant\,benches\,have\,an\,extra\,support\,leg\,for\,benches\,with\,more\,than\,6\,seats)$

DIMENSIONS

Total height: from 165 to 329 cm. Maximum lenght 6 m (10 seats)

Width: 95,5 cm Seat width 48,5 cm Seat depth: 43,2 cm

■ BACK AND SEAT (finsihes)

(see finishes and fabric card)



FRAME (finsihes)











Optional finishes available for large projects only



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

90,79% RECYCLED MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100% RECYCLABLE ALUMINIUM, STEEL & WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100% RECYCLABLE PACKAGE AND THINNER FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

90,82%

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsable forestry



PEFC Certificate



ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004 ISO 14001 Certificate



E1 Certificate by EN 13986




PARQUE TECNOLÓGICO ACTIU proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design

■ STANDARDS

PASSPORT has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to:

- UNE-EN 1728:13. Domestic furniture Seating Test methods for the determination of strength and durability.
- UNE-EN 16139:2013. Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- UNE-EN 1022:05. Office furniture. Confident chair
- ANSI/BIFMA X5.4-2012. Lounge and Public Seating. Tests. American National Standard for Office Furnishings.
- B.S. 5852:2006. Evaluation of the ignitability of upholstered furniture.














DESCRIPTION

- (1) Steel 2 mm thickness seat and back. Seat includes vinyl upholstered foam (Optional) in steel benches only
- 2 Black ABS ending trim
- 3 Optional moulded aluminium arms in silver or polished finish.
- 4 Extruded aluminium central beam. Reinforced with internal frame
- 5 Moulded aluminium trim fixed by pressure and screwed. Available in silver and polished finishes.
- 6 Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes.
- 7) Black polypropylene (PP) cap
- 8 Polypropilene (PP) levellers. Support for floor fixing or lining up in back to back benches.
- Seat for disable people (optional)

SIZES











[Passport Avant benches have an extra support leg for benches with more than 6 seats]

DIMENSIONS

Total height: from 165 to 329 cm. Maximum lenght 6 m (10 seats)

Total width: 95,5 cm Seat width 48,5 cm Seat depth: 43,2 cm


BACK AND SEAT (finsihes)



(see finishes and fabric card)

Optional finishes available for large projects only

FRAME (finsihes)



Optional finishes available for large projects only



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

90,79% RECYCLED MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

90,82%

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsable forestry



PEFC/04-31-0782
PEFC Certificate



ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004 ISO 14001 Certificate



E1 Certificate by EN 13986




PARQUE TECNOLÓGICO ACTIU proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design

STANDARDS

PASSPORT has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to:

- UNE-EN 1728:13. Domestic furniture Seating Test methods for the determination of strength and durability.
- UNE-EN 16139:2013. Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- UNE-EN 1022:05. Office furniture. Confident chair
- ANSI/BIFMA X5.4-2012. Lounge and Public Seating. Tests. American National Standard for Office Furnishings.





■ DESCRIPTION

- 1 Plywood 13 mm thickness seat and back
- 2 Black ABS ending trim
- 3 Optional moulded aluminium arms in silver or polished finish.
- 4 Extruded aluminium central beam. Reinforced with internal frame
- (5) Moulded aluminium trim fixed by pressure and screwed. Available in silver and polished finishes.
- 6 Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes.
- 7 Black polypropylene (PP) cap
- 8 Polypropilene (PP) levellers. Support for floor fixing or lining up in back to back benches.
- Seat for disable people (optional)

SIZES











(Passport Avant benches have an extra support leg for benches with more than 6 seats)

DIMENSIONS

Total height: from 165 to 329 cm. Maximum lenght 6 m (10 seats)

Total width: 94 cm Seat width 48,5 cm Seat depth: 43,2 cm

■ BACK AND SEAT (finsihes)





natural beech natural oak

(see finishes and fabric card)

FRAME (finsihes)











Optional finishes available for large projects only



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

90,79% RECYCLED MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100% RECYCLABLE PACKAGE AND THINNER FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

90,82%

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsable forestry



PEFC Certificate



ECODESIGN Certificate



ISO 9001 Certificate



UNE-EN ISO 14001:2004 ISO 14001 Certificate



E1 Certificate by EN 13986



PARQUE TECNOLÓGICO ACTIU proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design

■ STANDARDS

PASSPORT has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to:

- UNE-EN 1728:13. Domestic furniture Seating Test methods for the determination of strength and durability.
- UNE-EN 16139:2013. Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- UNE-EN 1022:05. Office furniture. Confident chair
- ANSI/BIFMA X5.4-2012. Lounge and Public Seating. Tests. American National Standard for Office Furnishings.



Auxiliary table $22 \times 46 \text{ cm}$ steel 5mm thickness plate, silver finish



Extruded aluminium central beam. Reinforced with internal frame.



Seat suitable for disable people 6 cm higher, moulded aluminium manufactured. Available in silver or polished frame. Different finishes for the seats.



Foot integrated in the side frame, moulded aluminium. Available in silver and polished finishes. Black polypropylene levelers.



Optional moulded aluminium arms in silver or polished finish. Black polypropylene (PP) arm trims.



Fix and line up system for face to face or back to back benches. 5 mm steel plate. Silver or polished finish. Please check ${\bf n^0~8}$ in the different bench finishes.